

Soil amendment and foliar feeder

Dilution: 1:100 - 1:200. Include as part of a crop protection spray programme or use on its own

	Viticulture	Horticulture	Pasture	Arable	Vegetables
Soil	2-4L/ha	2-4L/ha	4-5L/ha	4-5L/ha	2-4L/ha
	At cultivation and/ or at planting	At cultivation and/ or at planting	At cultivation and/ or at planting (with or without N-Fertiliser)	At cultivation and/ or at planting (with or without N-Fertiliser)	At cultivation and/ or at planting (with or without N-Fertiliser)
Foliar	Pre-Flower (EL: 1-19) 2-3 L/ha, 2 -3 times, 10-14 day	Pre-Flower 2-3 L/ha 2-3 times, 10-14 day intervals	General: 4-5 L/ha At 8°C and rising, (with or without	Post emergence 2-3 L/ha Side-dressing	Post emergence 2-3 L/ha
	intervals Flowering (EL:26-33) 2-3 L/ha, 2-3 times, 10-14 day intervals	Fruiting 2-3 L/ha 2-3 times, 10-14 day intervals Post-harvest (to	N-Fertiliser), 2-5 times/yr	2-3L/ha (with or without N-Fertiliser) Grain fill 5L/ha	General: 1-2 L/ha 10-14 day intervals
	Post-harvest (to build starch reserves for dormancy) 4 L/ha	build starch reserves for dormancy) 4 L/ha			

